



THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A fluid for fracturing a subterranean formation comprising:
 - (i) a surfactant having the general formula



where R₁-R₂ are each an aliphatic group of C1-C4, branched or straight chained, saturated or unsaturated, R₃ is a group of C12-C22, branched, straight chained or cyclic, saturated or unsaturated;

- (ii) a water soluble or dispersible anionic organic or inorganic salt;
 - (iii) an acid; and
 - (iv) a low molecular weight organic solvent.
2. A method of fracturing a subterranean formation comprising the steps of:
providing a visco-elastic surfactant based hydraulic fracturing fluid comprising:
 - (i) a surfactant having the general formula



where R₁-R₂ are each an aliphatic group of C1-C4, branched or straight chained, saturated or unsaturated, R₃ is a group of C12-C22, branched, straight chained or cyclic, saturated or unsaturated;


- (ii) a water soluble or dispersible anionic organic or inorganic salt;
- (iii) an acid; and
- (iv) a low molecular weight organic solvent, and;

pumping said fracturing fluid through a well bore and into a subterranean formation at a sufficient pressure to cause fracturing of said formation.

SPEECH OF THE PRESIDENT	
1950	10.0
1951	10.0
1952	10.0
1953	10.0
1954	10.0
1955	10.0
1956	10.0
1957	10.0
1958	10.0
1959	10.0
1960	10.0
1961	10.0
1962	10.0
1963	10.0
1964	10.0
1965	10.0
1966	10.0
1967	10.0
1968	10.0
1969	10.0
1970	10.0
1971	10.0
1972	10.0
1973	10.0
1974	10.0
1975	10.0
1976	10.0
1977	10.0
1978	10.0
1979	10.0
1980	10.0
1981	10.0
1982	10.0
1983	10.0
1984	10.0
1985	10.0
1986	10.0
1987	10.0
1988	10.0
1989	10.0
1990	10.0
1991	10.0
1992	10.0
1993	10.0
1994	10.0
1995	10.0
1996	10.0
1997	10.0
1998	10.0
1999	10.0
2000	10.0
2001	10.0
2002	10.0
2003	10.0
2004	10.0
2005	10.0
2006	10.0
2007	10.0
2008	10.0
2009	10.0
2010	10.0
2011	10.0
2012	10.0
2013	10.0
2014	10.0
2015	10.0
2016	10.0
2017	10.0
2018	10.0
2019	10.0
2020	10.0
2021	10.0
2022	10.0
2023	10.0
2024	10.0
2025	10.0
2026	10.0
2027	10.0
2028	10.0
2029	10.0
2030	10.0
2031	10.0
2032	10.0
2033	10.0
2034	10.0
2035	10.0
2036	10.0
2037	10.0
2038	10.0
2039	10.0
2040	10.0
2041	10.0
2042	10.0
2043	10.0
2044	10.0
2045	10.0
2046	10.0
2047	10.0
2048	10.0
2049	10.0
2050	10.0
2051	10.0
2052	10.0
2053	10.0
2054	10.0
2055	10.0
2056	10.0
2057	10.0
2058	10.0
2059	10.0
2060	10.0
2061	10.0
2062	10.0
2063	10.0
2064	10.0
2065	10.0
2066	10.0
2067	10.0
2068	10.0
2069	10.0
2070	10.0
2071	10.0
2072	10.0
2073	10.0
2074	10.0
2075	10.0
2076	10.0
2077	10.0
2078	10.0
2079	10.0
2080	10.0
2081	10.0
2082	10.0
2083	10.0
2084	10.0
2085	10.0
2086	10.0
2087	10.0
2088	10.0
2089	10.0
2090	10.0
2091	10.0
2092	10.0
2093	10.0
2094	10.0
2095	10.0
2096	10.0
2097	10.0
2098	10.0
2099	10.0
2100	10.0
2101	10.0
2102	10.0
2103	10.0
2104	10.0
2105	10.0
2106	10.0
2107	10.0
2108	10.0
2109	10.0
2110	10.0
2111	10.0
2112	10.0
2113	10.0
2114	10.0
2115	10.0
2116	10.0
2117	10.0
2118	10.0
2119	10.0
2120	10.0
2121	10.0
2122	10.0
2123	10.0
2124	10.0
2125	10.0
2126	10.0

3. A fluid as claimed in claim 1, wherein the ratio of said salt to said surfactant is in the range of 1:4 to 1:2.
4. A fluid as claimed in claim 3, wherein said salt is selected from the group including potassium sulfonate, zinc sulfonate, magnesium sulfonate, xylene sulfonate, toluene sulfonate, naphthalene sulfonates, NaCl and KCl.
5. A fluid as claimed in claim 3, wherein said acid is selected from the group including formic acid, citric acid, hydrochloric acid, acetic acid.
6. A fluid as claimed in claim 3, wherein said organic solvent is a low molecular weight alcohol.
7. A fluid as claimed in claim 6, wherein said surfactant is present in a quantity of about 0.1% (wt) to about 5.0% (wt).
8. A fluid as claimed in claim 7, in the form of a foam including about 52 to about 95% liquified gas selected from the group including CO₂, N₂, air and low molecular weight hydrocarbons.
9. A fluid as claimed in claim 8 containing 10-200 standard cubic metres of N₂ per cubic metre of fluid.
10. A fluid as claimed in claim 8, containing 10-200 standard cubic metres of gaseous CO₂ per cub metre of fluid or the liquid equivalent.
11. A method as claimed in claim 2, wherein the ratio of said salt to said surfactant is in the range of 1:4 to 1:2.
12. A method as claimed in claim 11, wherein said salt is selected from the group including potassium sulfonate, zinc sulfonate, magnesium sulfonate, xylene sulfonate, toluene sulfonate, naphthalene sulfonates, NaCl and KCl.

13. A method as claimed in claim 11, wherein said acid is selected from the group including formic acid, citric acid, hydrochloric acid, acetic acid.
14. A method as claimed in claim 11, wherein said organic solvent is a low molecular weight alcohol.
15. A method as claimed in claim 14, wherein said surfactant is present in a quantity of about 0.1% (wt) to about 5.0% (wt).
16. A method as claimed in claim 15, in the form of a foam including about 52 to about 95% liquified gas selected from the group including CO₂, N₂, air and low molecular weight hydrocarbons.
17. A method as claimed in claim 16 containing 10-200 standard cubic metres of N₂ per cubic metre of fluid.
18. A method as claimed in claim 16, containing 10-200 standard cubic metres of gaseous CO₂ per cubic metre of fluid or the liquid equivalent.
19. A method as claimed in claim 2, including the further step of lowering the viscosity of said fluid by raising the pH thereof.
20. A method as claimed in claim 19, wherein said pH is raised by the addition of an alkaline compound selected from the group including carbonates, oxides, and amines.
21. A fluid for fracturing a subterranean formation comprising:
 - (i) a surfactant having the general formula



where R_1 - R_2 are each an aliphatic group of C1-C4, branched or straight chained, saturated or unsaturated, R_3 is a group of C12-C22, branched, straight chained or cyclic, saturated or unsaturated;

- (ii) a water soluble or dispersible anionic organic or inorganic salt; and
- (iii) an acid.

22. A fluid as claimed in claim 21, wherein said acid is a strong acid selected from the group including hydrochloric, hydrofluoric, formic, sulfamic, acetic, or mixtures thereof.

092415-06080
T08080"ST42660